Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



JAT



Snow Surveyors Climbing to a Snow Course

FEDERAL-STATE COOPERATIVE

*SNOW SURVEYS AND IRRIGATION WATER FORECASTS

FOR OREGON

FEBRUARY 1, 1946


Bv

U. S. DEPARTMENT OF AGRICULTUR

Division of Irrigation, Soil Conservation Service
United States Department of Agriculture
and
Oregon Agricultural Experiment Station

Data included in this report were obtained by the agencies named above in cooperation with the Oregon State Engineer, U. S. Forest Service, National Park Service and other Federal, State and local organizations.





INDEX TO SNOW COURSES

Elev.			4900		9500		0199	7900 6350	5200	5100	0069	5150		5720			6720 6480				4500	3000	3730 4215	3800	2140		4400 6018	6500	4865	3000	4900	6500	9890	6200	4630	3500 6900	5140	
Numo	INTERIOR DRAINAGE	SILVER LAKE	Silver Creak	CHEWAUCAH RIVER	Mill Greek	HARNEY BASIN	Deer Greek	Fish Creek Hert Mountein	Idylwild Park	Izse Summit Rock Suring	Silvies	Starr Ridge	WARNER LAKS	Camas Creek	The state of the s	GUANO LAND	Bald Mountain Guano Creek		WEST COAST DRAINAGE	UMPQUA RIVER	Chempion	Diamond Lake Gooleway Gap	Gooleway Mountain N.Umpqua near Lake Creek	Trap Greek	Wina Le De CK	ROGUE RIVER	Althouse Annie Spring	Big Red Mountein	Billie Creek Divide Fish Lake	Goolaway Cap Goolaway Mountain	Grayback Peak Hwatt Prairie Reservoir	Little Red Mountain	Scregg Mountain Seven Lakes No. 1	Seven Lakes No. 2	Silver Burn Siskiyou Summit	South Fork Canal	Whalebeck	
Number			942		922		973	952	9614	964	321	965 247B		9114	į		Nev.				525	743 726	7215	741	7217		7216 831	129	722	726	727	7210	7220	7212	7219	7218	7217	
Elev.		2325 4880	4500 5750	4755	2730	3990	m%		6018	6000 4760			5320 6800	6200 5600	720	5100 5100			5720	5320							LA OREGON			4300 4761	4187	4150	4533	4200	5504 4800	4 600		5504
Nerse	WILLAMETTE RIVER	Breitenbush Cescade Summit	Champion Chariton Lake	Hogg Pass	Marion Forks	Santiem Junction	Waldo Lake	KLAMATH LAKE BASIN	Annie Spring	Billie Creek Divide	Crowder Flat	Expert Prairie Reservoir Lake of the Woods No. 1	Quartz Mountain Seven Lakes No. 1	Seven Lakes No. 2	Summer Rim	Sun Mountain Taylor Butte		GOOSE LAKE BASIN	Camas Creek	Quartz Mountain	61100						INDEX TO THE CALIFORNIA OREGON		KLAMATH LAKE BASIN	Beatty Chemult	Chiloquin	Fort Klamath	Kirk Take of the Woods	Felicen	Quertz Mountain Richardson Rench	Тамзеу	GOOSE LAKE BASIN	Quartz Mountain
Number		551	522	351	253	552	521A		831	722	. Calif.	723 835	811 7211	7212	841	836 842			911A	81 22										7 2	w. 4	+ rV	9 ;	- &	%	12		٥
Elev.			5070		3925	5050 4300	5070		5400		,	54 00 4 800	5900 5098	6650	5293	0009	5150		4400	4880	3500	4760	4755	6400	5200 6300	4800			4300			3700			3400			
Name	LOWER COLDMBIA DRAINAGE	WALLA WALLA RIVER	Tollgate	UMATILLA RIVER	Emigrant Springs	Lucky Strike Meacham	Tollgate	WILLOW CREEK	Arbuckle Mountain	TATTO DAY DAY	JUHN DAI KIVEK	Arbuckle Mountain Beech Creek Summit	Blue Mountain Spring Blue Mountein Summit	Dixie Springs	Izee Summit	Olive Lake	Sterr Ridge	DESCHUTES RIVER	Caldwell Ranch	Cascade Summit	Chariton Lake	Crescent Lake	Hogg Pass	New Dutchman Flat	Ochoco Meadows Snow Mountain	Tamarack Three Creeks Meedows	TILTER OF SEALS MCGGG	HOOD KIVER	Brooks Meedows	SANDY RIVER	Clear Lake	Phlox Point - Mt. Hood Still Creek		CLACAMMAS ALVEA	Cleckamas Lake	997411 9774299		
Number			212		222	223	212		241			241 246A	133	244	964	245 965	247B		425	327	361	325	351	324A	341	342	227		431		361	452			592	-//		
Blev.	E4		0.87	. 0089	7900		8 600 7000	7800	7000	6400	6340	5200		5900	5120	5100			5950 5098	5430	2700		7125	5430	5400 5340	0009	2+10		5400		4250		00.0	7000	7125	5970	6000	5070
Name	UPPER COLUMBIA DRAINAGE Lower Snake in Oregon	LOWER SHAKE IN OFESSOR	OWINGS ALVAN	Buckskin, Lower	Buckskin, Upper Fish Creek	Fry Canyon Gold Creek Ranger Ste.	Granite Peak Jack Greek, Ioner	Jack Greek, Upper	Martin Creek Rodeo Flat	Silver City	South Mountain No. 2	Taylor Canyon	MALHEUR RIVER	Blue Mountain Spring	Crane Frairie Lake Creek	Rock Spring	The state of the s	BURNT KIVER	Barney Creek	Dooley Mountain	Tipton	PONDER RIVER	Anthony Lake	Dooley Mountein	Ellertson Meedows	Summit Springs	raylor Green	PINE CHEER	Schneider Meadows	IMMAHA RIVER	Coverdale	GRANDE RONDE RIVER		Aneroid Lake No. 2		Camp Carson	Summit Springs	Taylor Green Tollgate
Number				Nev.2	Mev.5 952	Nov.5 Nov.6	Mev.7	Nev.9	Nev.10	Ida.12	951 Ida.13	Mev.15		133	136	134			143	156	142		155	156	151B	184	, p		191		1/1		102	183A	155	187	184	212

February 1, 1946

WATER SUPPLY OUTLOOK

The annual mid-winter snow surveys indicate Oregon's 1946 water supply prospects are likely to be very good. Reservoir storages, with few exceptions, are well above normal for this date. If normal conditions of snow accumulation prevail during the next two months, water supplies will be comparable to those of 1943.


Mountain snow cover, as of February 1, is considerably above average on all snow courses in Oregon. Normal or above-normal additions to the snow-pack during February and March will produce stream flow comparable to 1943 and may be of flood proportions on some streams if the snow water is suddenly released by high temperatures. However, if the February and March snow-fall is deficient, the present snow cover will likely provide an adequate 1946 water supply.

Watershed soils are generally well saturated and not frozen, a condition favoring sustained run-off from the spring snow-pack.

Total water stored in all reservoirs is 46 percent greater than of similar date last year, 6 percent greater than in 1944, 15 percent less than in 1943, and is 15 percent greater than average. More than half of Oregon's reservoirs are half full or better.

Precipitation in Oregon valleys accumulated since October 1 is generally above normal. The Wallowa Mountain area is an exception with precipitation about 92 percent normal for this period.

Preliminary forecasts of April-September stream flow, based on existing mountain snow cover, and on the assumption that snow cover increase during February and March will be average, indicate a state-wide run-off of ample proportions.



.

The following preliminary run-off forecasts are based on present mountain snow cover and on the assumption that average February and March increase of snow cover will occur. Greater or less than average increase in mountain snow cover during the next two months will correspondingly modify these estimates:

				Stream Flow Feb. 1, 1946
		As % o	f Avg.	As % of
Area	Stream	1929	9-44	Last Year
Northcentral	W. Fk. Hood River near Dee (438)	143	c	a
Umatilla-	S.Fk. Walla Walla R. nr. Milton			
Walla Walla	Station (214) Umatilla R. at Pendleton (223)	122 133	f	a a
Northeastern	Grande Ronde R. nr. LaGrande (1816			a
nor cheastern	East Fk. Wallowa R. (1822 + 1823)	140		a
	Hurricane Cr. near Joseph (1814)	134		a
	Lostine R. near Lostine (1810)	128		a
1	Bear Creek near Wallowa (1815)	112		a
Eastern	N. Fk. Malheur R. at Beulah (139)	132		a
	Malheur R. near Drewsey (1320)	126		a
	Strawberry Cr.nr.Prairie City (243	4) 116	е	a
Harney Basin	Silvies River near Burns (966)	155		a
Central	Tumalo Cr. & C. S. Canal (338a)	122		a
	Squaw Cr. near Sisters (335)	127		a
	Odell Cr. near Crescent (3212)	g		
	Crescent Lake Net Inflow	g		
	Ochoco Reservoir Net Inflow	188		<u>a</u>
Southcentral	Deep Creek above Adel (9127)	121	b	a.
Klamath Basin	Upper Klamath Lake Net Inflow	181		173
Southern	Rogue River above Prospect (722)	139		a
	Fourmile Lake Not Inflow	135		a
	N. Fk. Little Butte Cr. below			
	Fish Lake (Natural flow) (7230)			a
	Hyatt Prairie Reservoir Net Inflow			۵
	Applegate R. near Ruch (7212) N. Umpqua R. below Lake Cr. (7419)	162 117		a
	N. Umpqua R. at Toketce Falls (741)			a a
	Clearwater R. above Trap Cr. (7420			a
Willamette	McKenzie R. at McKenzie Bridge (53	4) 125		a
Valley	McKenzie R. near Vida (535)	130		a
	Mid. Fk. Willam. R. at Eula (512)	g		
a - 1945 Disch b - April-June	~	1933-44 1934-44	f -	1931-44 1932-44 Data delayed

the second of the configuration of the configuratio
A STATE OF THE STA
The first the fi
to a communication and the communication of the com
to the first of th
Manual afternation and the second
Lieu To College And College An
The second of th
A Secretaria de la companya de la c
A Company of the Comp
Metable to the control of the contro
$u^{*} = u^{*} + v^{*} + v^{*$
the state of the s
The state of the s
A The second of
months of the second
to the terretain property of the second state approximately apply and the second secon
The state of the s
and the second of the second o
the state of the s
And the second of the second o
A CONTRACT COMMENT OF THE CONTRACT OF THE CONT
And the control of th
\sim 1. The second of the contract of the cont
THE NAME OF THE PROPERTY OF TH
The second of
the second of

COMPARISON OF SNOW COVER AS OF FEBRUARY FIRST WITH THAT OF PREVIOUS YEARS

et:	166	490	328	04
of fe	!	4	3	2
Snow-stored water now present from 2,000-5,000 feet:	As percent of that present one month ago			As percent of average
	144	305	298	178
feet:	ŀ	1	ł	1
Snow-stored water now present above 5,000 i	As percent of that present one month ago	As percent of that present one year ago	As percent of that present two years ago	As percent of average

percent of the comparisons, is greater than on about February 1, 1944. Snow water content on 87 percent of all measured Snow water content on 100 percent of all measured courses is greater than at this time in 1945, and in 92 courses is greater than average.

Given below is a tabulation showing inches snow-stored water for the February 1 record period on eleven scattered

snow courses of greatest record length. The superior snow pack of February 1, 1946, as compared with that of the same date in most earlier years is evident.

				- ,	, •																			
		Umpqua	Diamond	Lake		8.9	5 0	8.4*	26.2	27.5	5.6	7.6	12.0	15 ¢6	7.9	12.2	3.1	10.5	6.8	29.8	7.4	4.5	26.1	** (Jan.17)
	Klamath-	Rogue	Annie	Spring		20.5	19.5	N.R.	22.5	N.R.	N.R.	33 •4	37.2	N.R.	22.8	26 •5	20.5	36.8	18•1	40.3	14.3	13.4	42.2**) **
		Klamath		Chemit		6.5	4.6	6.1	12.8	11.1	E	8•6	9.4	7.0	4.1	5.3	5.5	8•1	6 5	20.5	4.2	3.7	13.9	* (Feb.15)
ry 1	Goose	Lake	Quartz	Mtn.		4•0	0•9	4.0	6.9	5.0	1.0	7.7	11.3	4.1	N.R.	2.5	EH	5.0	3.8	₽.6	2.3	4.8	7.9	
ut Februa		Crooked	Ochoco	Mdws.		4.3	3.8	5.6	10.0	6.5	N.R.	9.4	13.5	6.1	N.R.	5.7	1.8	8•6	5.9	1307	2.7	4.7	12.8	T - Trace
as of About February 1	Malheur-	John Day	Blue Mt.	Springs		1	4.4	3.6	13.7	13.0	N.R.	11.0	13 •4	8.2	0.6	7.4	3.6	13.4	6 • 8	23.0	4.0	4.9	14.1	report
Content (Inches)	Burnt	River		Tipton		10.1	8° 80	8.2	8.7	N.R.	N.R.	N.R.	N.R.	N.R.	4.5	6.8	3.1	8.7	4.8	13.4	3.8	8.2	8.5	N.RNo r
		Wallowa	Aneroid	Lake		7.7	15.2	13.0	28.4	26.0	N.R.	21.2	17.3	9.3	21.0	13 • 4	16.5	19.3	22 04	28.6	12,2	12.8	29.1	
Snow Water	Walla	Walla	To11-	gate		1	1	14.1	23.7	N.R.	12.5	18.2	27.8	16.6	7.6	14.1	5.9	14.1	7.0	28.8	804	8.2	27.1	is unders
		Umatilla		Meacham		8.2	3.5	6.2	9.3	5.6	0.5	5.6	11.2	9.3	2.1	4.0	2 •3	0•₩	3 05	10.6	3.1	4.6	9.6	Greatest Feb. 1 water content is underscored.
		Deschutes	Three	Creeks	Meadows	11.2	13.1	8.1	23.4	N.R.	8	15.8	N.R.	18.5	8.2	10.1	4.3	8.9	9•9	N.R.	4.1	1.6	20.0	Feb. 1 wa
	River	Basin	Snow	Course	Year	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945	1946	Greatest

* ... 5 h. . . A property Charles of the Control of the Contro

STATUS OF SNOW COVER AS OF FEBRUARY FIRST Summary of Snow Survey Data by Watersheds as of About February First

Stream	Number Of Snow Courses		ge Wate w Cover	· (Incl	nes) Avg.Past Yrs.o	Rec-	Depth as	Snow W I (Inc Percen that i	hes) t
Basin	Averaged	1946	1945	1944	Record	d ord	1945	1944	Avg.
Malheur River	2 2 2	10.0 10.0 10.0	3•8	3.0	6.9	(10-15)	263	333	145
Burnt River	3 3 3	9.5 9.5 9.5	5.5	3.0	6.0	(7-12)	173	317	158
Powder River	3 2 3	15.9 10.0 15.9	7.1	3.0	9•5	(6-12)	224	333	167
Pine Creek	1 1 1	30.2 30.2 30.2	9•8	9•8	17.6	(8)	308	308	172
Grande Ronde River	7 7 8	20.6 17.8 19.0	8 •3	6.7	11.8	(3-17)	248	266	161
Walla Walla River	1 1 1	27.1 27.1 27.1	8.2	8 •4	14.9	(14)	330	323	182
Umatilla River	4 4 4	14.3 14.3 14.3	5.6	4.4	8.2	(7-17)	255	325	174
Willow Creek	1 1 1	12.4 12.4 12.4	5•4	3•8	7 •0	(16)	230	326	177
John Day River	7 7 7	11.2 11.2 11.2	3 •4	3.4	6.1	(9-16)	329	329	184
Deschutes River	2 3 3	31.0 24.8 24.8	5.3	6,6	10.7	(5-14)	585	376	232
Crooked River	3 3 3	10.2 10.2 10.2	3.6	1.9	4.8	(8-16)	283	537	212

$a \in \mathbb{R}^{n \times n}$		
a · ·		4 19
, as a stranger for a sign of the sign of	and the second s	typinke ++1 - th - th - th
•		
* * * * * * * * * * * * * * * * * * * *	74.	and the second
the state of the s		
		e production to the contract of the contract o
\$ and get-fines characterist the coll	and the account of the second of the second	Section 1
The second secon		
Φ^{*} .	and the second	e de la companya de l
The state of the s		A market date of the first conditions of the second date of the second
and the second s	man and a second	A CONTRACTOR OF THE CONTRACTOR
	•	and the second s
e e	•	
		more than the state of the stat
The state of the same of the s	where an experience of the second of the sec	The light of superior and the property of the superior and the superior an
to a region of the second of t	ille and the second se	
and the second s		
The second of th		and a second section of the second second section of the second section of the second
a manufacture of manufacture and the speciment of the spe	guida y na le le legala les la directo na diversió despondacións de la citable de la legalación de la composition della	
· ·	,	
		•
e'	·	Y man are a second of the second
en a	tengenmen en dig ombe katerionythe dur diapatete in er he in	e topology and death as to the process of the contract of the
والمراجع والمراجع والمراجع المراجع الم		•
A second		
4	1 4	•
the second of th		A CONTRACT OF PROPERTY OF THE STATE OF THE S
the state of the s	thing will be a strager for the important was the ingent of the process of the ingent	
The second secon		
\$ 77	•	
	(A)	a distribution that a take a companyed by all an additional and a company of the section of the
the second of th	accompany on the common of the following of	
	• •	
	24	*
	<i>y</i>	A service of their services of the services of
1 44	the makes and the makes the same and the makes the same of	Charles of the Court of Both the Court of th
go to some the constant of the sense of the	the designation of the contract of the contrac	. 9
		5 N
	: 4	
		The second of th
and the same of th	the company is not expensely project into the Color of the Marie & Security and continued as the marine in the color of th	8 20
	9 🐠	
		The transfer of the second
		in the control of the
to be to a	The state of the state and the state of the	agents of a section one of the section of the secti
the companies were a water the wife and the companies are the depression of the depression of the companies		A Commence of the Commence of
1.47		
	1. A. A.	
	the second secon	A CONTRACTOR OF THE STATE OF TH
The state of the s		Const. Co
The second secon	₩ 💝	
	€ • 1	5.4
		The state of the s
A property of the second secon	The second secon	The second secon
Anna Company of Company and Company of Compa		
,		

(Continued)

	Number Of Snow	Sno		er Dep			Depth as	Snow Work Inc	hes)
Stream	Courses	* *			Yrs.of			that i	
Basin	Averaged	1946	1945	1944	Record	ord	1945	1944	Avg.
Sandy River	2	45•4	6•4				711	1	
	2 2	45.5		10.0	16.0	(0)		455	269
		45.5			16.9	(8)			209
Clackamas River	1	16.1	2.7				596	477	
	1	16.1 16.1		3.7	7.7	(8)		435	209
	<u> </u>	70 • 1		-	(• 1	(8)			209
Willamette River	6	20.2	3.6				561		
	6	20.2		4.0		(= -\		505	07.0
	6	20.2			8•8	(5-8)			230
Harney Basin	4	7.6	2.4				317		
	4	7.6	,	2.1				362	
	6	6.2	,		4.0	(4-13)			155
Silver Lake Basin	1	4.9	0.0				-		
	1	4.9		1.6				306	
	1	4.9			2.6	(6)			188
Warner Lake	1	9.3	5.0				186		
Mai iioi Lanc	ī	9.3	0.0	3.8			100	245	
	· 1	9.3			6.8	(7)			137
Cuono Ioleo									
Guano Lake		_	-				-	_	
	1	4.6			4.6	(4)			100
Umpqua River	4	14.4	2.3				626		
ompdaa mitvei	5	20.6	2.00	5.9			020	349	
	5	20.6			9.2	(7-9)			224
Upper Rogue River	30	13.2	3.9				338		
opper nogue niver	10 11	16.1	949	6.3			228	256	
	11	16.1		0.00	9.0	(7-14)		200	179
Annlanata Pinan			A 17				100	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Applegate River	3 3	19.1 19.1	4.7	11.0			406	174	
	3	19.1		11.0	13.0	(10)		11.4	147
Illinois River	2	10.3	2.0	······································		(-0)	515		
TITILOTO MINGI	2	10.3	2.€0	6.1			0.10	169	
	2	10.3			8.0	(8-10)		230	129
Klamath Lake Basir		11.7	3.4	•			344		
	16*	12.0		4.6			- 11	261	
	17*	11.7			6 •5	(8-19)			180
Goose Lake Basin	3*	9.3	5.0				186		
	3*	9.3		3.1		(300	
	3*	9.3			5.6	(7-16)			166

^{*} Including Copco water measurement stations.


STATUS OF RESERVOIR STORAGE AS OF FEBRUARY FIRST

In the following tabulation, water storage in acre feet in important Oregon reservoirs as of about February 1, 1946, is compared with storage as of approximately the same date in 1945, 1944, 1943, and with 10 year average, 1936-45.


				Acre	Feet in Storage	9.5	
Storage	Stream	Capacity	About	About	About	About	10 Year
Reservoir	Basin	Acre Ft.	2-1-46	2-1-45	2-1-44	2-1-43	Average
Agency Valley	Malheur	000,09	38,740	41,880	40,762	24,300	32,631
Antelope	Owyhee	36,550	No report	3,245	0	No report	4,025h
Clear Lake	Lost River	440,240p	252,250 ^b	228,310 ^b	293,340b	252,030b	182,338b
Cold Springs	Umatilla	50,000	30,750	14,000	26,000	36,500	25,7171
Cottage Grove	Willamette	33,090b,f	0	210p	၁	0	1,114b,j
Cottonwood	Goose Lake	4,160	No report	355	0	ວ 0	57k
Crane Prairie	Deschutes	50,000	36,320	24,240	43,720	30,000	30,006
Crescent Lake	Deschutes	80,000	30,070	31,000	51,790	30,000	32,462
Drew Creek	Goose Lake	62,500	No report	28,500	35,000	42,794	34,427
Emigrant Gap	Rogue	8,200.	8,200	1,590	1,534	5,628°	4,526
Fern Ridge	Willametto	101,200b,f	1,000b	1,720b	ນ ()	72,550b	22,590b,1
Fish Lake	Rogue	7,720	3,740	3,196	988 . 9	4,401	4,368
Fourmile Lake	Klamathd	14,000	4,886	6,741	11,516	3,802	7,034
Gerber	Klamath	94,000b	31,610b	34,220b	44,650b	39,320b,c	39,415b
Hyatt Prairie	Klamathd	16,000	1,885	1,630	6,513	8,607	5,182
Mc Kay	Umatilla	74,000	36,050	21,440	36,800	51,720c	26,369
Ochoco	Crooked	46,000	36,940	1,140	22,980	37,920c	11,326
Owyhee	Owyhee	716,000b	561,010b	403,030b	481,330b	623,640b,c	497,613b
Thiof Valley	Powder	17,400	No report	8,464	8,954	15,140	10,902m
Unity	Burnt	25,260	11,410	10,370	5,232	9,465	9,552n
Upper Klamath	Klamath	583,9008	394,360g	187,800g	305,6008	466,300£,°	353,0228
Wallowa Lake	Wallowa	40,920	11,160	9,759	30,820	25,240	18,971
Warmsprings	Me lheur	190,000	80,380	35,310	111,760	161,000	81,404
Wickiup	Deschutes	180,000	39,000a	45,000	0	4,700	16,567
Willow Creek	Malheur	26,000	No report	10,6000	No report	11,600	4,436P
a-Estimated			f-Storage spa	f-Storage space reserved for	r flood	k-Excl. 13	137, 138, 142
b-Available for use	nse		control du	during high water		1-1942-45	
c-Water being by-passed to provide	y-passed to pro	ovide	g-Based on ga	gage zero elev. of	of 4135.0	m-1937-45	
space for an	space for anticipated inflow	wo		143		n-1939-45	
d-By ditch to Rogue River side	ogue River sid	O	1-1940-45			p-Excl. '3	136, 142, 144
A maria a maria de la constante de la constant			2000				

j-1943-45

e-Approximate



U S DEPT OF AGRICULTURE




STATUS OF VALLEY PRECIPITATION AS OF OCTOBER 1 TO DATE

Month	Oc	t.	No	v.	De	¢ •	J	an•	Peri	.od
Section	P	D	P	D	P	D	P	D	P	D
S.E.	0.70	-0.01	1.31	+0.14	2.04	+1.01	0.8	-0.5	4.85	+0.64
S.C.	1.24	+0.27	2.53	+0.51	2.93	+0.91	1.7	-0.2	8.40	+1.49
N.C.	0.96	+0.06	2.96	+1.16	3.48	+1.78	1.6	+0.2	9.00	+3.20
Col. Riv.	0.66	-0.34	2.38	+0.69	2.64	+0.91	1.5	-0.2	7.18	+1.06
Wal. Mts.	0.52	-0.92	2.36	+0.48	2.41	+0.54	0.8	-0.6	6.09	-0.50
Blue Mts.	0.72	-0.60	3.01	+0.77	3.04	+0.74	1.5	-0.3	8.27	+0.61
Southern	1.54	-0.38	6.66	+3.43	5.04	+1.20	4.3	+0.8	17.54	+5.05
Willamette	2.13	-1.98	13.99	+6.28	9.55	+1.04	6.7	-1.1	32.37	+4.24
Area	1.06	-0.49	4.40	+1 •68	3.89	+1.02	2.4	-0.2	11.71	+1.97

- P Inches precipitation. D Inches departure from normal.
- S.E. Southeastern Oregon range lands, Harney and Malheur Counties.
- S.C. Southcentral Oregon range lands, Lake County and Klamath County, except the Cascade Mountains.
- N.C. Northcentral Oregon wheat and range lands, Crook, Deschutes, Jefferson, Wheeler and part of Grant Counties.
- Col. Riv. Columbia River area, wheat and range lands, Gilliam, Morrow, Sherman. Wasco and part of Umatilla Counties.
- Wal. Mts. Wallowa Mountain area, forest and range lands, Wallowa and part of Baker County.
- Blue Mts. The Blue Mountain forest and range area, Union and parts of Baker, Grant and Umatilla Counties.
- Southern Southern Oregon irrigated section, Jackson and Josephine Counties.
- Willamette Parts of Polk, Benton, Yamhill, Washington, Lane and all of Linn, Marion, Clackamas and Multnomah Counties.
- Note: Data for the last month shown above are preliminary only, as they are based on a few stations only. Data for earlier months have been corrected to include all the stations in Climatological Data for the area.

The transfer of the edited by the transfer of	The state of the s	4	•••		,		
dan nicional un et un lette et agent	The considering the second		, , , , , , , ,	e e	t une get av delegt bestårtet (v	· og færa den Period o g	
				and the state of the state of		C	
					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		,
-t h		• •			A CONTRACTOR		• •
•	* 1	•	•	• • •			
*	8 4 8 6 4 8						
ner . A				· · · · · · · · · · · · · · · · · · ·			
**	gy of the second	·					
4				•	****	٠.	٠.
***	The state of the s	•	• '	٠ 4	4 - 1		
district material Mining of	yPe to see the willing gra-	• • •	~ % 6 60 + N.W. r	tudija e reaku itus	e de ligación de gres (o		
To a throughout the second of the	60 1	and the state of the	to a manage operation of the second	نيو الحالث الواجدة بالمعادر	to an exercise the second time.	14 1415	et 4 a 4941144
a , this en		• .		* . * · ·	***	·	
					Same Contraction		
6.1							
·			1				
٠						•	8 41
•	٠ •	1.	**			· · · · · · · · · · · · · · · · · · ·	•
			i belaga. Seti			u. y	•
				.0			
		* = :				• •	-
	,	4					·.
					* * * * * * * * * * * * * * * * * * * *	,	
		93	.,	t in the second	4 4		
	175# • 1440 •						
				M. Delta de		-t	:
			1 . 1				s*
• 1	t ex X	4. v	1 4		and the second	٠.	n

Two One One Two Age for Age bast Age	LOCATION Shout Feb. 1, 1946
A G E O M 11.7 4.9 4.1 5.0 2.7 1.8 6.0 3.4 2.5 7.5 4.8 2.8 8.2 3.8 16.2 12.9 4.6 7.5 4.8 2.8 3.7 3.2 4.9 4.3	Avg. Snow V Depth I (In.) (
0 M 9.2 6.3 2.2 5.0 2.7 1.8 5.0 2.7 1.8 6.0 3.4 2.5 7.5 4.8 2.8 8.2 3.8 16.2 12.9 4.6 7.5 4.8 2.8 4.0 4.6 7.5 4.8 2.8 3.7 3.2 4.9 4.3	UPPER COLUMBIA DR
6.0	LOWER SNAKE IN O
6.0 2.7 1.8 6.0 2.7 1.8 7.5 4.8 2.8 8.2 3.8 16.2 12.9 4.6 7.5 4.8 2.8 4.0 4.6 7.5 4.8 2.8 3.7 3.2 4.9 4.3	
5.0 2.7 1.8 6.0 2.7 1.8 7.5 4.8 2.5 7.5 4.8 2.8 8.2 3.8 16.2 12.9 4.6 7.5 4.8 2.8 3.7 3.2 4.9 4.3	35 7S 5W 6340 Measurement Delayed
6.0 2.7 1.8 6.0 2.5 2.2 7.5 4.8 2.8 8.2 3.8 16.2 12.9 4.6 7.5 4.8 2.8 3.7 3.2 4.9 4.3	
5.0 2.7 1.8 6.0 2.5 2.2 7.5 4.8 2.8 8.2 3.8 16.2 12.9 4.6 7.5 4.8 2.8 3.7 3.2 4.9 4.3	15S 35E 5900 1-18 45.2
5.0 2.7 1.8 6.0 2.5 2.2 7.5 4.8 2.8 7.5 4.8 2.8 8.2 3.8 16.2 12.9 4.6 7.5 4.8 2.8 3.7 3.2 4.9 4.3	16S 34E 5375 1-18 31.8
5.0 2.7 1.8 6.0 2.5 2.2 7.5 4.8 2.8 8.2 3.8 16.2 12.9 - 1 4.0 4.6 7.5 4.8 2.8 3.7 3.2 4.9 4.3	168 33章臣 5120 1-18
6.0 3.4 2.5 7.5 7.5 4.8 2.8 3.8	32E
6.0 3.4 2.5 7.5 4.8 2.8 - 8.2 3.8 16.2 12.9 - 1 - 4.0 4.6 7.5 4.8 2.8 - 4.9 4.6 - 4.9 4.3	21S 34E 4800 Measurement
6.0 3.4 2.5 7.5 4.8 2.8 - 8.2 3.8 16.2 12.9 - 1 - 4.0 4.6 7.5 4.8 2.8 - 4.0 4.6 - 4.0 4.6 - 4.0 4.6 4.9 4.3	
7.5 4.8 2.8 - 8.2 3.8 16.2 12.9 - 1 - 4.0 4.6 7.5 4.8 2.8 - 4.0 4.6 - 4.0 4.6 - 4.9 2.8 - 4.9 4.3	125
d - 8.2 3.8 16.2 12.9 - 1 4.0 4.6 7.5 4.8 2.8 - 3.7 3.2 d - 4.9 4.3	4QE 5430 1-30
16.2 12.9 - 1 4.0 4.6 7.5 4.8 2.8 3.7 3.2 4.9 4.3 - 9.8 9.8 1	108 3
16.2 12.9 - 1 - 4.0 4.6 7.5 4.8 2.8 - 3.7 3.2 - 4.9 4.3	
7.5 4.8 2.8 - 3.7 3.2 - 4.9 4.3 - 9.8 1	7S 37E 7125 2-2 75•4
7.5 4.8 2.8 - 3.7 3.2 - 4.9 4.3 - 9.8 9.8 1	88 37E 5800 Measurement
- 3.7 3.2 4.9 4.3 	32 11S 40E 5430 1-50 33.7
4.9	8S 38E 5400 1-22 37.6
8 ° 6 ° 6 ° 6 ° 6 ° 6 ° 6 ° 6 ° 6 ° 6 °	
8 6 8	
& & & & & & & & & & & & & & & & & & &	
	35 6S 45E 5400 1-29 95.5



- 9	€ €
-----	-----

											-	9 -											
	Yrs. of rec-		16	4	9	7	63	17	8	14			14		17	2	14		16		16	o :	11
,	Avg.for pust yrs.of record		17.8	15.4	15.6	7.07	4.4	5.6	12.7	14.9			14.9		2	8 9	5.0 14.9		7.0		7.0	3.7	0 0 2 0
MTS	Lepth Two Years Ago 2-1-44)		12.2	9.3	1	3.4	3.5	3.1	7.0	8 • ₹			8 • 4		1.7	स्म । ज	.0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0 .0		3.8		3.8	3.5	2.5
SASUREME	Average water e One th Year o Ago -46)(2-1-45)(12.8	8.3	12.9	3.9	3	9•₹	9. 7	8.2			8.2		3.5	0.9	4 & 3 &		5.4		5.4	9•1	4 8 • • • •
SNOW COVER MEASUREMENTS	Avere One Wonth Ago (1-1-46)		. 1	•	16.2	0.9	1	ł	ຄຸ້ນ	1	四 回		1				1 1	•	1		ı	5	11.7
5	マラロン		29.1	23.3	27.8	8.7	8•0	9•6	18.7	27.1	AINA		27.1		10.2	10.4	9.6		12 • 4		12.4	7•4	14.1 9.5
	reb. 1, Avg. Snow Depth (In.)		84.6	63.0	75.4	37.5	33.5	41.5	71.2	8006	A D R	٠	90.8		36.1	41.2	41.5 90.8		48.3		48.3	20.3	45 45 45 45 45
4	About Date		1-26	1-26	2-2	1-29	1-30	1-29	1-31	1-29	M B I	,	1-29	ų.	1-29	1-28	1-29		2-1		2-1	1-29	1-18
	Elev.		7480	2000	7125	53.40	5970	4300	5850	2070	C O F O		2070		3925	5050	±300 5070		5400		5400	4800	5900 5098
	ange		45至	45E	37正	37臣	36E	35E	41E	28E	표I		38E		35瓦	32E	38E		29臣		29压	30日	35E 36E
LOCATION	Sec. Twp. Range		48	4S	78	53	6S	3 13	33	4N	L O		4N		II		SI 4		⇔ N		48	128	15S 12S
S	လို ဇင		16		18	Φ	33	24&25	28	32	1		32		53	28	24&25 32		83		33		22
	Oregon Number		183	183A	155	188	187	221	186A	212			212		222	223	221		241		241	246A	155
STREAM BASINS	(Primary & Secondary & Snow Courses)	GRANDE RONDE RIVER	Aneroid Lake No. 1	Lake	Anthony Lake	Beaver Reservoir	Camp Carson	Meacham	Moss Spring	Tollgate		WALLA WALLA RIVER	Tollgate	UMATILLA RIVER	Emigrant Springs	Lucky Strike	Wescham Tollgate	WILLOW CREEK	Arbuckle Mountain	JOHN DAY RIVER	Arbuckle Mountain	Beech Creek Summit	Blue Mountain Springs Blue Mountain Summit

- - - 4 . 7. . . . * 1 27

								٠	• .	10	-											
	Yrs. of rec-		7	101	70		လ	15	10	ω	ω	ω	H	16	•	14		ω	∞		(∞
S Depth (Inches)	Avg.for past yrs.of) record		7.0	8 0	3.6		3.8	17.6	7.4	5.2	18.4	2,9	15.3	6.4	1	10.0		25•6	8		C	7.
Trs Depth	>		4°3°0°5°0°	4.6	2.4		3.2	7.3	3.2	2.6	12 •4	0.3b	•	2.7	ı	4.1		15.0	5.0		0).•o
Average Water	One Two Year Years Ago Ago 2-1-45)(2-1-44		44 82 0 60	4,6	1.7		1	8.7	1.9	4.2	0.6	1.8	•	4.7	1	1.6		10.0	8.9		t	J.• 7
COV	One Month Ago (1-1-46)(9 6	9.7	4. • 9		•	1	•	1	ı	1	ı	10.5	1	1		. 1	•		(တ စာ
SNOW 1946			Delayed 10.7	16.1	8 • 0		12.5	Delayod	Delayed	10.5	42.0	7.3	48.0	12.8	14.7	20.0		63.0	28.0		(1001
Feb. 1.	Avg. Snow Depth (In.)		Measurement 1-28 31.8	54.3	24.1		39.3	Measurement	Measurement	37.5	111.6	23.3	120.4	43.0	53.4	58.0		178.4	82.5			28.6
About	Date		Measu 1-28	1-30	1-28		1-14	Measu	Measu	2-1	1-31	1-30	1-16	2-1	1-31	2-3		2-1	2-4		t c	Ω 1 V
	Elev.		5340 5293	0009	5150		4400	4880	4760	2670	4755	4540	6400	5200	4200	2600		5600	3700		C L	2500
			36E 29E	33是玉	31E		<u>अ</u>	9 E	<u>ਬ</u> 9	23正	7 <u>3</u> E	19E	9臣	20E	10E	3E		· 句	8 <u>2</u> E		į	7 E
LOCATION	Sec. Twp. Range		9S 16S	98	158		213	238	248	138	138	128	185	138	45	178		83	33		Č	3
3	Sec		238	7	20		30	7	11	14	24			21	٦	63		æ	25		6	14 & L5
	Oregon Number	nt'd.)	249	245	247B		326	321	325	343	351	344	324A	341	362	331		452	451			T69
STREAM BASINS	(Primary & Secondary & Snow Courses)	JOHN DAY RIVER (Cont'd.)	Gold Center Izee Summit	Olive Lake	Starr Ridge	DESCHUTES RIVER	Caldwell Ranch	Cascade Summit	Crescent Lake	Derr	Hogg Pass	Marks Creek	New Dutchman Flat	Ochoco Meadows	Rock Creek	Three Creeks Mendows	SANDY RIVER	Phlox Point-Mt. Hood	Still Creek	CLACKAMAS RIVER		Peavine Kidge

b - Estimated

									-]	1 -											
;	Yrs. of ord		വ	15	- &	41 L	ပေ	Ω.			9		₹	4 ,	3 5	10	10		4		7
Inches)	Avg.for past yrs.of) record		3.7	17.6	18.4	13.8	4 6	10.4			2.6		4.6	2 0	ν α α	4.5	3.6		4.6		6.8
opth	Two Av fears Ago 2-1-44)		0°5p	7 ° ° °	12.4	11.4	100	δ. Θ.			1.6		1		7-1	1.8	2.4		9		3.08
ASUREMEN Se Water	One Year Ago (2-1-45)(3		0.7	8.7	0.6	9 0	4.0	S • S			0.0		. 1	1 6	ν ω ω ω	2.7	1.7		1		5.0
SNOW COVER MEASUREMENTS 6 Avorage Water D	One Month Ago (1-1-46)(3		Trace	L t	24.6	ις • · · α		17.0		•	ı		• 1	1	0 g	5.0	6.4		1		ı
194	Avg. Water Depth (In.)		4.3	Delayed	42°0	Delayed	9 0	C• 15%	A G E		4.9		5.9	0°0	10.7	0.9	8 • 0		4.6		6.0
Feb. 1,	Avg. Snow Depth (In.)			Measurement 1		Measurement	22.8	6.21	RAIN		17.3	:	21.3	3.0	31.8	27.3	24.1		15.6		31.6
About	Date		1-31	Measur 1-31	1-31	Measu 1-31	1-28	T-2-T	R D		1-31	٠,	1-29	1-28	1-21 1-28	1-27	1-28	· ·	1-28		1-28
	Elev.		2325	4880	4755	4800	3620	0669	B R I O		4900		0299	6350	5293	5100	5150		6480		5720
2	Range		7E	० म स	73E	7 <u>5</u> 臣 7.民	7W	ਜ <u>਼</u>	H		13E		26E	25压	29E	32E	31E		25E		21E
LOCATION	Sec. Twp. Range		98 28	23.5	138	158	125	noT			298		368	368	168	185	158		368		398
3			21	٠ - 2	24	35	23	#			942 25&26		17	۵۰۲	2 00	23	20		13		വ
	Oregon Number		551	522	351	553	541	700			942 2		973	971	964 964	134	247B		972		911A
STREAM BASINS	(Primary & Secondary & Snow Courses)	WILLAMETTE RIVER	Breitenbush	Champion	Hogg Pass	McKenzie Marion Forks	Mary's Peak	Sailtiam ounction		SILVER LAKE	Silver Creek	HARNEY BASIN	Deer Creek	Hart Mountain	Izee Summit	Rock Spring	Starr Ridge	GUANO LAKE	Guano Creek	WARNER LAKE	Camas Creek b - Estimated

the state of the s The first of the factor 1.3 has the second of the seco

														-	- 1	4	-															
		Yrs.	rec-	n l				7	. o	O	o	7		•	∞	13	10	14	12	თ	တ	10	Ħ	10	c)	တ္ -	9	ω	တ	ω	10	2
	Inches)	Avg.for	yrs.of	n Jose I				10.6	10.9	1.8	4.5	18.3			1.8	25.1	16.0	13.9	8.2	1.8	4.5	14.1	6.2	10.5	15 •4	25 •2	15.2	2.7	4.6	1.5	0.6	18.3
TS	Depth (Two An	ѝgo 2-1-44)	/ ###I = 7				4.4	7.4	1.3	2 • 3	13.9	-	-	9°0	14.3	12.7	8.3	4.6	1.3	2.3	11.6	6 • 4	9.6	11 •4	20.6	13.3	5.3	8. B.	Trace	8.7	13.9
ASUREMEN	Average Water Depth (Inches)	One Year	5					3.2	4.5	0.2	1.4	1			0.8	13.4	6.6	9.5	3.5	0.2	1.4	3.2	2.2	2.5	5.3	17.5	12.2	2.5	1.2	0,8	4.3	1
COVER MEASUREMENTS	Avera	One Month	hgo (1-1-46)	1/05-1-1					18.8	- 4	· 1	ı			1	9	1	17.6	9.1	1	ı	1	6.1	1	21.3	1	i	8.2	3.7	0.0	1	ı
SNOW	1946	Avg.			A G	Ì		28.3	26.1	1.3	2.1	45,03			2.5	42.2	24.6	24.8	16.8	1.3	2.1	18•1	11.0	red	Delayed	Delayed	Delayed	11.8	5.1	2.4	14.6	45.3
	Feb. 1,	Avg.	Depth (Tn.)	(****)	RAIN			78.9	80.7	3.9	1.6	108.6			11.8	104,49	68.4	76.1	47.0	3.0	6.4	58.2	39 93	t Measured	Measurement	Measurement	Measurement	41.0	17.0	15.0	44 •8	108.6
	About		- - -	Anna	A)) 		1-31	1-31	1-28	1-28	1-31			1-31	1-17	2-1	1-30	1-31	1-28	1-28	1-30	1-29	Not	Measu	Measu	Measu	1-31	1-27	1-30	1-31	1-31
			Elev.		C O A S			4500	5315	3000	3730	5140			4400	6018	6500	0009	4865	2000	3730	0009	4900	6500	6200	6800	6200	3720	4630	3500	0069	5140
177			lange		€ E	}		E.	6E	3W	3W	2 E			7W	9E	1M	5 <u>E</u>	4正	311	3W	MS.	3五	2W	101	2E	田の田	4E	2E	3正	1W	五 2 2 3
LOCATION			Twp. I		W	l		23.0	278	328	328	318			41S	318	40S	368	378	328	328	40S	398	408	47N	34S	338	308	40S	338	40S	318
A			Sec.					5	29	32	30	ы			17	19	31	30	23	32	30	တ	15	25	တ	ы	56	30	17	12	-	63
		Oregon	Number Sec. Twp. Range					522	743	726	7215	7217			7216	831	729	722	725	726	7215	727	723	7210	7220	7211	7212	7219	728	7218	7213	7217
STREAM BASINS		(Pariment & Secondary					UMPQUA RIVER	Champion	Diamond Lake	Goolaway Gap	Goolaway Mountain	Whaleback	ROGILE RIVER	יייי דייי דיייי	Althouse	Annie Spring	Big Red Mountain	Billie Creek Divide	Fish Lake	Goolaway Gap	Goolaway Mountain	Grayback Peak	Hyatt Prairie Reservoir	Little Red Mountain	Scragg Mtn. (Calif.)	Seven Lakes No. 1	Seven Lakes No. 2	Silver Burn	Siskiyou Summit	South Fork Canal	Wagner Butte	Whaleback

b - Estimated


me we are

ξ p h' μ μ'

1 1 Co

												-	13	5 =													
	Yrs	of rec-		13	18	14	ი (9	9 9	19	בו	19	တ	13	16	16	13	9.	9	ω	တ	15		7	16	16	
	Depth (Inches)	past yrs of record		25.1	ο ι Ο ι	15 . 9	7.0	2 0 0	646	3.0	6.2	2 €0	4.9	3.7	4.9	5.1	2.0	22.2	15.2	14.6	3.2	1.8		6.8	4.9	5.1	
ITS		6 4		14.3) (ο ·	4 6	¥ * 7	4 4 4 4	3.6	6.4		5.5	3 \$3	2.3	3.3	1.5	20.6	13.3		2.3	,		3	2.3	3.3	
ASUREMEN	Average Water One	15)(13.4	၃ ဖ	က္ရ (200	2 1	3.5	1.52	2.5	0.8	3,3	1•1	4•.8	5.2	0.2	17.5	12.2	7.6	1.5	9.0		5	4	5.2	
COVER MEASUREMENTS	Avera	η 16)(1 6	0 0	17.66	ტ ().)) d	0 0	6.1	6.2	9 • 3	1.4	4.6	5.0	0.0	F	•	26 05	1	3.8		1	4.6	5.9	
SNOW	1946 Avg.	Water Depth (In.)		42.2	S (24.8	_	Telega Telega	Ziayea 10.8	8,0	11.0	11.0	11,0	3 5	7 • 9	10.8	1.2	Delayed	Delayed	33.0	8•4	7.0		9.3	7.9	10.8	
	Feb. 1,	e 🔾		104.9	8 6	1.69/	49 e4	0.00	31.0	7.88	39.3	26.2	36.7	13.0	28 69	36.0	10.2		ement 1	87.6	26.8	20.0		31.6	28.9	36.0	
	About	Date		1-17	1-31	1-30	1-31	1-0-T	1-31	1-31	1-29	1-31	1-31	1-31	1-29	1-31	1-31	Measurement	Measur	1-31	1-30	1-31	·.	1-28	1-29	1-31	
		Elev.		6018	4300	0009	4760	4187	2000	4150	4900	4533	4960	4200	5320	5504	4800	6800	6200	5350	5100	4600		5720	5320	5504	
		ang e		田9	12E	त्र स्रा	80 E	שׁרַר	1 T	7%E	3E	7臣	とと	6 臣	16E	16E	14 E	5臣	2 2 2	7 <u>3</u> E	11E	11E		21E	16E	16E	
LOCATION		Twp. R		318	368	262	275	040	74.0	338 338	398	338	378	368	388	378	358	34S	338	328	338	318		398	388	378	
ĭ		Sec.		19	22	30	21	40	2 6	2 23	15	M	=======================================	10	2	33	22	ы	56	22	16	7		LC:	~	33	
		Oregon Number Sec. Twp. Range	·	831	. 1	727	834				r 723		835		811			7211	7212	836	842			911A	811		
STREAM BASINS		(Primary & Secondary & Snow Courses)	KLAMATH LAKE BASIN	124	Beatty 2/	Billie Creek Divide	Chemult No. 1	Chiloquin Z/	Crowder Fige (valita)	Fort Klamath 2/	124	Kirk 2/	Lake of the Woods No.1	Pelican 2/	Quartz Mountain	Quartz Mountain 2/	Richardson Ranch 2/	Seven Lakes No. 1	Seven Lakes No. 2	Sun Mountain	Taylor Butte	Yamsey 2/	GOOSE LAKE BASIN	Camps Creek	Quartz Mountain	Quartz Mountain 2/	

b - Estimated



STATE

Idaho Cooperative Snow Surveys
Nevada Cooperative Snow Surveys
Oregon Agricultural Experiment Station
Oregon State Engineer and corps of State Watermasters
Oregon State Highway Engineers

FEDERAL

Department of Agriculture
Forest Service
Soil Conservation Service
Department of Commerce
Weather Bureau
Department of the Interior
Bonneville Power Administration
Bureau of Reclamation
Fish and Wildlife Service
Geological Survey
Indian Service
National Park Service
War Department
Army Engineer Corps

PUBLIC UTILITIES

Eastern Oregon Light and Power Company Portland General Electric Company The California Oregon Power Company

MUNICIPALITIES

City of Corvallis City of LaGrande City of The Dalles

IRRIGATION DISTRICTS

Associated Ditch Companies
Central Oregon Irrigation District
Deschutes County Municipal Improvement District
Grants Pass Irrigation District
Jordan Valley Irrigation District
Lakeview Water Users Incorporated
Medford Irrigation District
Ochoco Irrigation District
Rogue River Irrigation District
Talent Irrigation District
Vale-Oregon Irrigation District
Warmsprings Irrigation District

PRIVATE CORPORATIONS

Amalgamated Sugar Company

2/ Water content determined by melting a measured sample.

(The California Oregon Power Company's station)

The state of the s , t_e The second of th The second to th and the second of the second Commence of the second and the second the same was been been the form framen The state of the state of the state of trueld belonging by the the Late of the Charles of the Charl Charles of the Section 2 of the Co 中国的人名阿尔克尔 (1985年) 11. April 11. 11. 11. 11. e navnek po kultur i pokaži naživiči i karvini i s Section & water the constitute Markett and Building the Comment. The first basis of the first control of the cont and the said and the least and the said THORNAND CONTRACTOR ng the state of th

Contraction of the color will be at the contraction of a



